



Rev 1.4
03.09.2015

Broadband Pre-Amplifier UBBV Series

RF & Microwave Amplifier (DC to 30GHz), up to 40dB Gain

Highlights

- ◆ Frequency range max.: DC - 30GHz
- ◆ Suitable for any brand of Spectrum Analyzers or Antennas
- ◆ 7 different Models
- ◆ Fits perfectly to any SPECTRAN
- ◆ Integrated calibration data, readout via USB
- ◆ Runs with internal battery or power supply
- ◆ Small weight and dimensions
- ◆ **10 years warranty**

References

- ◆ Fraunhofer FHR in Wachtberg, Germany
- ◆ DLR in Cologne, Germany
- ◆ Ruhr University in Bochum, Germany
- ◆ Siemens AG in Berlin, Germany
- ◆ Continental Automotive in Jalisco, Mexico
- ◆ Saab in Linköping, Sweden
- ◆ Cassidian in Elancourt, France
- ◆ Finnish Defence Forces in Espoo, Finland



Made in Germany



Details

Highest Performance in the smallest space

Do you have problems to read weak signals? Or how about boosting a probes gain or maybe pre-amplifying an rf antenna. The UBBV is the answer to all these needs as well as many others.

The UBBV is a high-end Pre-Amplifier which works with any brand of Spectrum Analyzers and directly fits to any Aaronia SPECTRAN Handheld Analyzer.

Since the UBBV has such a high compression point of almost 100 milliwatts, you can even use it to boost the power of small micro transmitters. Newly designed microwave chips enable the UBBV2 to have gain even up to 30GHz.

The UBBV series enables maximum performance, particularly when measuring extremely weak signals e.g. in typical EMC test according to EN55022, EN55011 and so on.



The transport case offers enough space for the preamp & accessories



Frontside



Backside



The UBBV fits directly to any SPECTRAN Spectrum Analyzer

Technical Data

UBBV DC25 (Widest Range)

- ◆ Frequency range: **DC to 25GHz**
- ◆ Noise: 2,5dB (typ.)
- ◆ Gain: 14dB (typ.)
- ◆ Max. power at RF input: +15dBm
- ◆ Max. power at RF output: +16dBm
- ◆ Input: 50 Ohm SMA (f)
- ◆ Output: 50 Ohm SMA (m)
- ◆ Interface: USB 2.0/1.1
- ◆ Specific calibration data, readout via USB
- ◆ Incl. Transport Case, Power Supply incl. Adapters, Manual, SMA tool & USB cable
- ◆ Weight: 146gr
- ◆ Dimensions: 81x61x29mm
- ◆ **Warranty: 10 years**

UBBV 0910 (Ultra low noise!)

- ◆ Frequency range: **9kHz to 10GHz**
- ◆ Noise: **0,4dB (typ.)**
- ◆ Gain: 22dB (typ.)
- ◆ Max. power at RF input: +10dBm
- ◆ Max. power at RF output: +8dBm
- ◆ Input: 50 Ohm SMA (f)
- ◆ Output: 50 Ohm SMA (m)
- ◆ Interface: USB 2.0/1.1
- ◆ Specific calibration data, readout via USB
- ◆ Incl. Transport Case, Power Supply incl. Adapters, Manual, SMA tool & USB cable
- ◆ Weight: 146gr
- ◆ Dimensions: 81x61x29mm
- ◆ **Warranty: 10 years**

UBBV 1

- ◆ Frequency range: **1MHz to 1GHz**
- ◆ Noise: 3,5dB (typ.)
- ◆ Gain: 40dB (typ.)
- ◆ Max. power at RF input: +15dBm
- ◆ Max. power at RF output: +15dBm
- ◆ Input: 50 Ohm SMA (f)
- ◆ Output: 50 Ohm SMA (m)
- ◆ Interface: USB 2.0/1.1
- ◆ Specific calibration data, readout via USB
- ◆ Incl. Transport Case, Power Supply incl. Adapters, Manual, SMA tool & USB cable
- ◆ Weight: 146gr
- ◆ Dimensions: 81x61x29mm
- ◆ **Warranty: 10 years**

UBBV 2 (Highest Gain)

- ◆ Frequency range: **1MHz to 10GHz**
(500kHz with -3dB bandwidth)
- ◆ Noise: 3,5dB (typ.)
- ◆ Gain: 40dB (typ.)
- ◆ Max. power at RF input: +15dBm
- ◆ Max. power at RF output: +15dBm
- ◆ Input: 50 Ohm SMA (f)
- ◆ Output: 50 Ohm SMA (m)
- ◆ Interface: USB 2.0/1.1
- ◆ Internal specific calibration data **with up to 1000 points**, readout via USB
- ◆ Incl. Transport Case, Power Supply incl. Adapters, Manual, SMA tool & USB cable
- ◆ Weight: 146gr
- ◆ Dimensions: 81x61x29mm
- ◆ **Warranty: 10 years**

UBBV-NF 25

- ◆ Frequency range: **1Hz to 50MHz**
(60MHz with -3dB bandwidth)
- ◆ Gain: 25dB (typ.)
- ◆ Max. input DC voltage: 10VDC
- ◆ Max. input AC voltage: 3V or 2.1V rms
- ◆ Max. power at output: +15dBm (50 Ohm)
- ◆ Input: 100 kohm SMA (f)
- ◆ Output: 50 ohm SMA (m)
- ◆ Interface: USB 2.0/1.1
- ◆ Specific calibration data, readout via USB
- ◆ Incl. Transport Case, Power Supply incl. Adapters, Manual, SMA tool & USB cable
- ◆ Weight: 146gr
- ◆ Dimensions: 81x61x29mm
- ◆ **Warranty: 10 years**

UBBV-NF 35


- ◆ Frequency range: **1Hz to 30MHz**
(35MHz with -3dB bandwidth)
- ◆ Gain: 35dB (typ.)
- ◆ Max. input DC voltage: 10VDC
- ◆ Max. input AC voltage: 3V or 2.1V rms
- ◆ Max. power at output: +10dBm (50 Ohm)
- ◆ Input: 100 kohm SMA (f)
- ◆ Output: 50 ohm SMA (m)
- ◆ Interface: USB 2.0/1.1
- ◆ Specific calibration data, readout via USB
- ◆ Incl. Transport Case, Power Supply incl. Adapters, Manual, SMA tool & USB cable
- ◆ Weight: 146gr
- ◆ Dimensions: 81x61x29mm
- ◆ **Warranty: 10 years**

UBBV 0530 (Highest Frequency)


- ◆ Frequency range: **5GHz - 30GHz**
- ◆ Noise: 2,5dB (typ.)
- ◆ Gain: 22dB (typ.)
- ◆ Max. power at RF input: +10dBm
- ◆ Max. power at RF output: +10dBm
- ◆ Input: 50 Ohm SMA (f)
- ◆ Output: 50 Ohm SMA (m)
- ◆ Interface: USB 2.0/1.1
- ◆ Specific calibration data, readout via USB
- ◆ Incl. Transport Case, Power Supply incl. Adapters, Manual, SMA tool & USB cable
- ◆ Weight: 146gr
- ◆ Dimensions: 81x61x29mm
- ◆ **Warranty: 10 years**




Gain vs Frequency




UBBV DC25




UBBV 0910



UBBV-NF-25 & UBBV-NF-35



UBBV1 & UBBV2



UBBV 0530

References

Cross-Section of Aeronia Clients

Government, Military, Aeronautic, Astronautic

- ◆ NATO, Belgium
- ◆ Department of Defense, USA
- ◆ Department of Defense, Australia
- ◆ Airbus, Germany
- ◆ Boeing, USA
- ◆ Bundeswehr, Germany
- ◆ NASA, USA
- ◆ Lockheed Martin, USA
- ◆ Lufthansa, Germany
- ◆ DLR, Germany
- ◆ Eurocontrol, Belgium
- ◆ EADS, Germany
- ◆ DEA, USA
- ◆ FBI, USA
- ◆ BKA, Germany
- ◆ Federal Police, Germany
- ◆ Ministry of Defense, Netherlands

Research/Development, Science and Universities

- ◆ MIT - Physics Department, USA
- ◆ California State University, USA
- ◆ Indonesien Institute of Science, Indonesia
- ◆ Los Alamos National Laboratory, USA
- ◆ University of Bahrain, Bahrain
- ◆ University of Florida, USA
- ◆ University of Victoria, Canada
- ◆ University of Newcastle, United Kingdom
- ◆ University of Durham, United Kingdom
- ◆ University Strasbourg, France
- ◆ University of Sydney, Australia
- ◆ University of Athen, Greece
- ◆ University of Munich, Germany
- ◆ Technical University of Hamburg, Germany
- ◆ Max-Planck Institute for Radio Astronomy, Germany
- ◆ Max-Planck Institute for Quantum Optics, Germany
- ◆ Max-Planck-Institute for Nuclear Physics, Germany
- ◆ Max-Planck-Institute for Iron Research, Germany
- ◆ Research Centre Karlsruhe, Germany

Industry

- ◆ APPLE, USA
- ◆ IBM, Switzerland
- ◆ Intel, Germany
- ◆ Shell Oil Company, USA
- ◆ ATI, USA
- ◆ Microsoft, USA
- ◆ Motorola, Brazil
- ◆ Audi, Germany
- ◆ BMW, Germany
- ◆ Daimler, Germany
- ◆ Volkswagen, Germany
- ◆ BASF, Germany
- ◆ Siemens AG, Germany
- ◆ Rohde & Schwarz, Germany
- ◆ Infineon, Austria
- ◆ Philips, Germany
- ◆ ThyssenKrupp, Germany
- ◆ EnBW, Germany
- ◆ RTL Television, Germany
- ◆ Pro Sieben – SAT 1, Germany
- ◆ Channel 6, United Kingdom
- ◆ CNN, USA
- ◆ Duracell, USA
- ◆ German Telekom, Germany
- ◆ Bank of Canada, Canada
- ◆ NBC News, USA
- ◆ Sony, Germany
- ◆ Anritsu, Germany
- ◆ Hewlett Packard, Germany
- ◆ Robert Bosch, Germany
- ◆ Mercedes Benz, Austria
- ◆ Osram, Germany
- ◆ DEKRA, Germany
- ◆ AMD, Germany
- ◆ Keysight, China
- ◆ Infineon Technologies, Germany
- ◆ Philips Semiconductors, Germany
- ◆ Hyundai Europe, Germany
- ◆ JDSU, Korea
- ◆ Wilkinson Sword, Germany
- ◆ IBM Deutschland, Germany
- ◆ Nokia-Siemens Networks, Germany

Aaronia Distributors



USA

Aaronia USA, 651 Amberton Crossing
Suwanee, Georgia 30024 USA
Phone: +1 678 714 2000
Fax: +1 678 714 2092
Email: sales@aaroniausa.com
URL: www.aaroniaUSA.com



China (North)

Aaronia North China, No. 2 Huayuan Road,
Building 2, Haidian District, 100191 Beijing, China
Phone: +86 10 822 37 606
Fax: +86 10 822 37 609
Email: sales@bjmesh.com
URL: www.bjmesh.com.cn



China (South)

Aaronia South China, 3BRM, RD FL Luhua Technology
Bldg, Guangxia Road 7, Futian, 518049 Shenzhen, China
Phone: +86 755 888 580 86
Fax: +86 755 830 73 418
Email: mail@aaronia-china.com
URL: www.aaronia-china.com



India

Aimil Ltd, B-906, BSEL Tech Park, Opp. Vashi
Rly Stn, 400705 Vashi, Navi Mumbai, India
Phone: +91 22 3918 3554
Fax: +91 22 3918 3562
Email: narayanedke@aimil.com
URL: www.aimil.com



Russia

Testpribor
Fabriciusa St. 30 Moscow 125363 Russia
Phone: +7 495 225 67 37
Fax: +7 495 657 87 37
Email: testpribor@test-expert.ru
URL: www.test-expert.ru



Turkey

EgeRate Elektronik Muh. ve Tic. Ltd. Sti Perpa Ticaret
Merkezi, A Blok Kat: 5 No: 141, Sisli / Istanbul, Turkey
Phone: +90 212 220 3483
Fax: +90 212 220 7635
Email: info@egerate.com
URL: www.egerate-store.com



Taiwan

E-Instrument Tech Ltd., No. 16, Lane 37
Guanye E. Riad, Pingchen City,
324587 Taoyuan County, Taiwan
Phone: +886 3 4576 809
Fax: +886 3 468 8611
Email: sales@e-channel.com.tw
URL: www.e-channel.com.tw



Argentina

EKKON SA, Paraná 350, Capital Federal,
1017 Buenos Aires, Argentina
Phone: + 54 114 123 009 1
Fax: +54 114 372 324 4
Email: info@aaronia-argentina.com.ar
URL: www.aaronia-argentina.com.ar



Israel

Mono Tech Ltd.
2 Johanan Hasandlar St. 44641 Kfar-Sava, Israel
Phone: +972 72 2500 290
Fax: +972 9 7654 264
Email: kobi@aaronia.co.il
URL: www.aaronia.co.il



Serbia

Tagor Electronic doo
Tihomira Brankovica 21,
18000 Nis, Serbia
Phone: +381 18 575 545
Fax: +381 18 217 125
Email: miodrag.stojilkovic@tagor.rs
URL: www.tagor-instrumenti.rs



Iran

International Rayan Nik
Unit 1, No. 25, Nahal Alley, Kanoon St., Kashani
Ave, P.O.Box 14875-148, Tehran, Iran
Phone: +98 21 4433 8882
Fax: +98 21 4433 8883
Email: info@rayannik.com
URL: www.rayannik.com



Greece

VECTOR Technologies Ltd
40 Diogenous str., 15234 Halandri, Greece
Phone: +30 210 685 8008
Fax: +30 210 6858 8118
Email: info@vectortechnologies.gr
URL: www.vectortechnologies.gr



Made in Germany

Aaronia AG, Gewerbegebiet Aaronia AG, DE-54597 Strickscheid, Germany
Phone ++49(0)6556-93033, Fax ++49(0)6556-93034
Email: mail@aaronia.de URL: www.aaronia.com

Spectran® **HyperLOG®** **BicoLOG®** **OmniLOG®** **Aaronia-Shield®** **Aaronia X-Dream®** **MagnoShield®** **IsoLOG®**

are registered trademarks of Aaronia AG